

网管产品 - 功能 #2863

增加CU高级参数配置

2025-02-24 13:40 - 钱 伯宁

状态:	已解决	开始日期:	2025-02-24
优先级:	普通	计划完成日期:	
指派给:	杨 凯	% 完成:	0%
类别:		预期时间:	0.00 小时
目标版本:		耗时:	0.00 小时
描述			
1.配置管理增加CU高级参数配置； 2.增加ini文件的获取、修改接口；			

历史记录

#1 - 2025-02-24 13:40 - 钱 伯宁

- 状态从 新建 变更为 进行中

#2 - 2025-02-26 10:30 - 钱 伯宁

2044修改为2045

#3 - 2025-02-26 15:27 - 钱 伯宁

oam-backend <=> gnb_agent3.0

获取配置接口:

edit-config

operation:exec

module:cu

type:.ini

value:

```
<config xpath="/root/yzmm/rel/GNB/cu/cu/nr_hl_cu/config/mem_config.ini:FIXED_POOL_1_SIZE_1/NUM_BLOCKS" type="number(string)"></config>
<config xpath="/root/yzmm/rel/GNB/cu/cu/nr_hl_cu/config/mem_config.ini:FIXED_POOL_1_SIZE_3/NUM_BLOCKS" type="number(string)"></config>
<config xpath="/root/yzmm/rel/GNB/cu/cu/nr_hl_cu/config/pool_config.ini:2045-0/NUM_BLOCKS" type="number(string)"></config>
<config xpath="/root/yzmm/rel/GNB/cu/cu/nr_hl_cu/config/pool_config.ini:2045-1/NUM_BLOCKS" type="number(string)"></config>
```

响应body :

```
{ "data": "<config xpath=\"/root/yzmm/rel/GNB/cu/cu/nr_hl_cu/config/mem_config.ini:FIXED_POOL_1_SIZE_1/NUM_BLOCKS\">10000</config><config xpath=\"/root/yzmm/rel/GNB/cu/cu/nr_hl_cu/config/mem_config.ini:FIXED_POOL_1_SIZE_3/NUM_BLOCKS\">20000</config><config xpath=\"/root/yzmm/rel/GNB/cu/cu/nr_hl_cu/config/pool_config.ini:2045-0/NUM_BLOCKS\">10000</config><config xpath=\"/root/yzmm/rel/GNB/cu/cu/nr_hl_cu/config/pool_config.ini:2045-1/NUM_BLOCKS\">20000</config>" }
```

修改配置接口 :

get-config

operation:query

module:cu

type:.ini

value:

```
<config xpath="/root/yzmm/rel/GNB/cu/cu/nr_hl_cu/config/mem_config.ini:FIXED_POOL_1_SIZE_1/NUM_BLOCKS" type="number(string)">20000</config>
<config xpath="/root/yzmm/rel/GNB/cu/cu/nr_hl_cu/config/mem_config.ini:FIXED_POOL_1_SIZE_3/NUM_BLOCKS" type="number(string)">20000</config>
<config xpath="/root/yzmm/rel/GNB/cu/cu/nr_hl_cu/config/pool_config.ini:2045-0/NUM_BLOCKS" type="number(string)">20000</config>
<config xpath="/root/yzmm/rel/GNB/cu/cu/nr_hl_cu/config/pool_config.ini:2045-1/NUM_BLOCKS" type="number(string)">20000</config>
```

响应body :

```
{ "result": "success",
```

```
 "data": "ok"
```

```
}
```

#4 - 2025-02-27 13:43 - 钱 伯宁

钱 伯宁 写到 :

oam-backend <=> gnb_agent3.0

获取配置接口:

edit-config

operation:exec

module:cu

type:.ini

value:

```
<config xpath="/root/yzmm/rel/GNB/cu/cu/nr_hl_cu/config/mem_config.ini:FIXED_POOL_1_SIZE_1/NUM_BLOCKS" type="number(string)"></config>
<config xpath="/root/yzmm/rel/GNB/cu/cu/nr_hl_cu/config/mem_config.ini:FIXED_POOL_1_SIZE_3/NUM_BLOCKS" type="number(string)"></config>
<config xpath="/root/yzmm/rel/GNB/cu/cu/nr_hl_cu/config/pool_config.ini:2045-0/NUM_BLOCKS" type="number(string)"></config>
<config xpath="/root/yzmm/rel/GNB/cu/cu/nr_hl_cu/config/pool_config.ini:2045-1/NUM_BLOCKS" type="number(string)"></config>
响应body : {
"data": "<config xpath=\"/root/yzmm/rel/GNB/cu/cu/nr_hl_cu/config/mem_config.ini:FIXED_POOL_1_SIZE_1/NUM_BLOCKS\">10000</config><config
xpath=\"/root/yzmm/rel/GNB/cu/cu/nr_hl_cu/config/mem_config.ini:FIXED_POOL_1_SIZE_3/NUM_BLOCKS\">20000</config><config
xpath=\"/root/yzmm/rel/GNB/cu/cu/nr_hl_cu/config/pool_config.ini:2045-0/NUM_BLOCKS\">10000</config><config
xpath=\"/root/yzmm/rel/GNB/cu/cu/nr_hl_cu/config/pool_config.ini:2045-1/NUM_BLOCKS\">20000</config>"}
```

修改配置接口：

```
get-config
operation:query
module:cu
type:.ini
value:
```

```
<config xpath="/root/yzmm/rel/GNB/cu/cu/nr_hl_cu/config/mem_config.ini:FIXED_POOL_1_SIZE_1/NUM_BLOCKS" type="number(string)">20000</config>
<config xpath="/root/yzmm/rel/GNB/cu/cu/nr_hl_cu/config/mem_config.ini:FIXED_POOL_1_SIZE_3/NUM_BLOCKS" type="number(string)">20000</config>
<config xpath="/root/yzmm/rel/GNB/cu/cu/nr_hl_cu/config/pool_config.ini:2045-0/NUM_BLOCKS" type="number(string)">20000</config>
<config xpath="/root/yzmm/rel/GNB/cu/cu/nr_hl_cu/config/pool_config.ini:2045-1/NUM_BLOCKS" type="number(string)">20000</config>
```

响应body :

```
"result": "success",
"data": "ok"
}
```

其中修改接口为：

```
<config xpath="/tmp/mem_config_dl.txt:FIXED_POOL_1_SIZE_4/NUM_BLOCKS">
<xpathVal>21</xpathVal>
</config>
<config xpath="/tmp/pool_config.txt:2045-0/NumBlocks">
<xpathVal>21</xpathVal>
</config>
```

#5 - 2025-02-28 14:02 - 钱 伯宁

- 指派给 从 钱 伯宁 变更为 马 党旗

module修改为all

上报的数据.value值为空时上报当前所有ini path->val

#6 - 2025-03-03 14:18 - 马 党旗

- 文件 20250303-141720.jpg 已添加

- 状态 从 进行中 变更为 转测试

3.0基站才支持的特性，如附件（20250303-141720.jpg）所示。

#7 - 2025-03-06 15:47 - 马 党旗

- 指派给 从 马 党旗 变更为 杨 凯

#8 - 2025-03-07 15:09 - 杨 凯

- 状态 从 转测试 变更为 反馈

- 指派给 从 杨 凯 变更为 马 党旗

参数无法修改

#9 - 2025-03-12 09:20 - 马 党旗

- 指派给 从 马 党旗 变更为 杨 凯

#10 - 2025-03-12 10:49 - 杨 凯

- 状态 从 反馈 变更为 已解决

该问题已于YZMM2.1.0Pre1T17——0311版本验证解决

文件

3.jpg	198 KB	2025-02-24	钱伯宁
20250303-141720.jpg	123 KB	2025-03-03	马党旗